



Institute for Sustainability and  
Innovation in Structural Engineering

# ISISE Stats & Highlights 2021






# ISISE in Numbers




## Concluded PhD Theses



## Articles Published in WoS Journals




## Contracted Project Funding (M€)




## Members

- PhD students
- Faculty
- Postdocs



## Funding Distribution in 2021



# International Alumni



## MSc Alumni: 96 Countries (88% of the world population)

### America

Argentina  
Bolivia  
Brazil  
Canada  
Chile  
Colombia  
Costa Rica  
Dominican Republic  
Ecuador  
Guatemala  
Mexico  
Nicaragua  
Paraguay  
United States of America  
Venezuela

### Africa

Algeria  
Angola  
Cameroon  
Ethiopia  
Ghana  
Kenya  
Liberia  
Libya  
Mauritania  
Morocco  
Nigeria  
Sudan  
Tanzania  
Tunisia  
Zambia  
Zimbabwe

### Asia

Afghanistan  
Bangladesh  
Bhutan  
China  
Georgia  
India  
Iran  
Iraq  
Israel  
Japan  
Jordan  
Kazakhstan  
Kyrgyzstan  
Lebanon  
Malaysia  
Myanmar  
Nepal  
Pakistan  
Palestine  
Philippines  
Singapore  
South Korea  
Syria  
Thailand  
Vietnam

### Europe

Albania  
Austria  
Belgium  
Bulgaria  
Croatia  
Czech Republic  
Finland  
France  
Germany  
Greece  
Hungary  
Ireland  
Italy  
Lithuania  
Macedonia  
Moldavia  
Netherlands  
Poland  
Portugal  
Romania  
Serbia  
Slovakia  
Slovenia  
Spain  
Sweden  
Ukraine  
United Kingdom

### Oceania

Australia  
New Zealand

### Intercontinental States

Azerbaijan  
Cyprus  
Egypt  
Indonesia  
Turkey

## PhD Alumni: 48 Countries (68% of the world population)

### America

Bolivia  
Brazil  
Chile  
Colombia  
Costa Rica  
Ecuador  
Guatemala  
Mexico  
Peru  
United States of America

### Africa

Angola  
Cape Verde  
Ethiopia  
Morocco  
Mozambique  
Nigeria  
Sudan  
Tunisia  
Rwanda

### Asia


Afghanistan  
China  
Iran  
Jordan  
Lebanon  
Myanmar  
Pakistan  
Syria  
Yemen

### Europe

Albania  
Belgium  
Bulgaria  
Croatia  
Czech Republic  
France  
Germany  
Hungary  
Italy  
Poland  
Portugal  
Romania  
Serbia  
Spain  
Ukraine

### Intercontinental States

Cyprus  
Indonesia  
Turkey






# Tyre4BuildIns


## Recycled tyre rubber resin-bonded for building insulation systems towards energy efficiency

Currently, waste management and energy consumption are two of the major concerns of humankind. In Europe, 355 million tyres are produced per year and buildings account for 40% of the total primary energy consumption. Thermal bridges may be responsible for up to 30% of heat losses in buildings.

Measured thermal resistances



New super-insulation material



The main contractor of this project is the University of Coimbra, involving two research centres: ISISE and CIEPQPF (Chemical Process Engineering and Forest Products Research Centre).


The new super-insulation composite, having a thermal conductivity of about 16 mW/m/K, was developed in the Chemical Engineering Department and an international patent was already registered.

The research team from ISISE is focused in the development and performance evaluation of innovative Light-weight Steel Framed (LSF) elements, regarding mainly thermal behaviour, but also acoustic performance.


This project is being very successful regarding the achieved outputs, having already 13 scientific publications, 10 communications in international and national scientific meetings, 7 Master and PhD thesis, 1 computational application, 3 laboratorial prototypes, 2 new products and 2 patents.

The main goals of this research project are:

- (1) Develop a new eco-friendly and cost-effective insulation composite material based on recycled tyre rubber and aerogel insulation materials;
- (2) Evaluate and optimize the performance of this new composite insulation material by characterizing its properties (hygrothermal, acoustic, fire reaction, mechanical resistance and durability);
- (3) Optimize the use of the new insulation material in building elements (e.g. walls) in order to take maximum advantage of it regarding thermal and acoustic performance, and;
- (4) Assess the environmental impacts and cost of this new insulation material from a life cycle perspective.



Infrared images of LSF test-samples (TB – Thermal Break)



Experimental apparatus for thermal tests





SELECTED PROJECTS

# SIRMA

## Strengthening Infrastructure Risk Management in the Atlantic Area

SIRMA aims to develop, validate, and implement a robust framework for the efficient management and mitigation of natural hazards in terrestrial transportation modes in the atlantic area, which consider both road and railway infrastructure networks.

Most of the transportation of people and goods in the Atlantic Area is made through rail and road. The performance of these infrastructures is directly affected by extreme natural events and by the strong corrosion processes that result from proximity to the Atlantic Ocean. SIRMA is an Interreg Atlantic project designed to address this aspect. The consortium, led by UMinho, includes other 9 partners, from Spain, France, UK and Ireland.

D4.1 Climate change indicators database Home Database

**Introduction**  
SIRMA project aims to develop, validate and implement a robust framework for the efficient management and mitigation of natural hazards in terrestrial transportation modes in the Atlantic Area, which consider both road and railway infrastructure networks. Within WP4, a freely available database of climate change indicators is provided. The database could be used by other research institutions or enterprises for estimating the vulnerability/consequences on transportation infrastructure at different Atlantic regions in France, Spain, Ireland, Portugal and UK. The database was downloaded from Copernicus Climate Change Service and Coupled Model Inter-comparison Project Phase 5 (ESGF@BDOE/LLNL). The database encompasses several variables precisely chosen to distinctly define the extreme events in the European countries alongside 5 locations in Atlantic Ocean and cover a time series of up to 2100, several global circulation models and various climate change scenarios.




**Locations: cities and rivers**

**Coastal cities (atmospheric and ocean parameters):**

- Brighton (UK)
- Caxias (Portugal)
- Cork (Ireland)
- Dublin (Ireland)
- Saint-Nazaire (France)
- Vigo (Spain)

**Rivers (river flow):**

- Adur (UK)
- Bann (Ireland)
- County clare-Fergus-OwenSieve (Ireland)
- Loire (France)
- Ria de Pontevedra-Ria de vigo (Spain)
- Tage-Sorraia (Portugal)
- The Solent-Medina (UK)

## Climate Change Indicator Database

Free climate change indicators database including climate change indicators that can be used in the future by anyone for estimating the vulnerability and/or consequences on transportation infrastructure at different Atlantic regions.

Available at [sirma-project.eu](http://sirma-project.eu)

## Analyzing the Evolution of Risk in Rail and Road Transport Networks

Tool that allows analyzing the evolution of risk in rail and road transport networks simultaneously. This tool integrates predictive models developed in the project and data resulting from the monitoring systems also developed in the project.

## Enhanced Monitoring Transportation Assets' Risk

Tools and algorithms for enhanced monitoring transportation assets' risk in face of relevant hazards in the Atlantic region including the use of satellite data and data collected in-situ (the figure exemplifies the use of trains instrumented with accelerometers to assess scour vulnerability in the bridges it crosses).

## Test & Validate

Two pilots will be implemented to test and validate the methodologies, tools and algorithms developed during SIRMA project (in the figure an example of coastal area between Lisbon and Cascais, one of the project's case studies).





SELECTED PROJECTS

# FRPLongDur

## Long-term structural and durability performances of reinforced concrete elements strengthened in flexure with CFRP


The FRPLongDur is a research project involving the University of Minho, the National Laboratory of Civil Engineering (LNEC) and the Swiss Federal Laboratories for Materials Science and Technology (EMPA) aimed at contributing to the knowledge on the long-term behaviour and durability of RC elements strengthened with CFRP systems.




Nowadays, strengthening of existing reinforced concrete (RC) structures with fibre-reinforced polymer (FRP) systems is considered a state-of-the-art solution. Despite that, long-term behaviour and durability are still open issues. The FRPLongDur project focuses on the long-term behaviour and durability of RC elements strengthened with CFRP (Carbon FRP) laminates according to the EBR (Externally Bonded Reinforcement) and NSM (Near Surface Mounted) reinforcement techniques, under the effects of aging by natural and accelerated environments.

The work has involved: (i) an extensive experimental program, with the establishment of five experimental stations distributed throughout Portugal (Elvas, Guimarães, Lisbon, Serra da Estrela, and Viana do Castelo), where test specimens at three scales (material, bond and structural) were installed to evaluate their performance during the time; (ii) the development of numerical simulations, based on the results obtained in the monitoring carried out; and, (iii) the development of design recommendations by proposing new values for environmental conversion factors for the materials and bond strength for EBR and NSM strengthening techniques.

After four years of ongoing research (the project will last 10 years), several outputs have been already produced, including preliminary environmental conversion factors and comparisons between natural and accelerated aging. Part of these outputs was also used in the development of provisions included in the prCEN/TS 19101: 2020 Design of fibre-polymer composite structures (future Eurocode).











# Self-erecting Tower

Steel tubular towers and monopiles have been the predominant solution in the market of wind energy generation for the last decades, both onshore and offshore.



However, the need for new sites to allocate wind farms and the urgency of decreasing installation and maintenance costs are directing the market towards modular systems. Ideally, these systems would be pre-fabricated, easy to transport and simple to assemble.




Schematic view of the tower structure and construction process

Within the course of the project state-of-the-art components for structural applications are under development using additive manufacturing (AM), or 3D printing, showing promising results with significant material savings.

Thus, a new type of connection is under development for the splice of the tubular elements that compose the structure in the self-erecting tower.

The concept is to optimise an internal 'plug and play' (PnP) device that allows joining the tubular elements only through bolts.




The **Self-erecting Tower (SeT)** project proposes a wind turbine tower formed segments using one single geometry to enable automatization in the manufacture and to eliminate incidents during assembly.

These segments are mechanically joined to guarantee the structural rigidity necessary for the good dynamic performance of the tower.

The interior of the segments supports a continuous helical rail that allows the internal mounting platform to rise through the interior of the tower during the assembly of the panels.

In this way, the modularity of construction and the virtual absence of height limitations are guaranteed. The platform includes an articulated crane of small dimensions.



Tubular connection and optimisation down to 50% of the volume for additive manufacturing





# Offshore Steel Connections for ETERMAR








This consultancy was assigned by Senegal Minergy Port (SMP) to Design and Build the Dakar Liquid Bulk Materials Terminal (LBMT), in Bargny, Senegal.

The LBMT comprises two berths in a system of breasting and mooring dolphins, platform and walkways for a range of 13000 DWT to 95000 DWT vessels. The LBM is to be built at approximately 2300 m distance from the shore, at 12 m deep, comprising two breasting and four mooring dolphins to receive the vessels.

The dolphins have their soffit level at +5.50 m, corresponding to the top of the steel piles. Each dolphin has six steel battered piles, with 1016 mm outside diameter and the thickness of 23 mm and 20 mm for breasting and mooring dolphin, respectively. The superstructure, which starts at level +1.50 m, is connected to the steel piles by means of circular tubular elements with 1207 mm outside diameter and 26.8 mm thickness that fit around the battered piles.

Since the connections between the circular tube (CT) and the pile tube (PT) are close to the sea surface, the conditions do not allow for the welding between the two. Therefore, an alternative circular bolted connection was designed by the University of Coimbra.

The structural design is carried out according to the relevant structural Euro-codes: EN 1993-1-1 and EN 1993-1-8, and verified by advanced numerical analyses using the finite elements method.








# Porto Cathedral

## Completing 20 Years of Structural Conservation

Porto Cathedral was founded in the 12th century and combines the Romanesque, Gothic and Baroque architectural styles. The Cathedral is located in the historical centre of Porto city (World Heritage by UNESCO) and it is classified as National Monument of Portugal.

University of Minho was involved in several works on the inspection, diagnosis, numerical modelling, monitoring and interventions in the Cathedral, namely at the Saint Vincent Chapel, towers, main façade, the skylight of the transept, Nasoni's staircase and chancel.



To improve the structural behaviour, a rigid stainless steel frame, a set of inclined anchors and long ties were applied to provide a confinement ring. Additionally, a monitoring system was implemented. The skylight presented cracking and separation between the walls and vaults, and a rigid steel frame and a new timber roof were added.


The intervention carried out in the staircase designed by Nicolau Nasoni involved the injection of cracks, and the application of steel ties and anchors, improving the connection between walls.

More recently, the inspection, diagnosis and numerical modelling of the chancel lead to an intervention that included: removal of the infill of the vault and application of new steel structure and roof; application of steel ties at the rear façade; injection of cracks and application of anchors at the ribs of the vault; consolidation of the vault at the connection with the rear façade and remedial works at the external walls.

The diagnosis and structural analysis of the Saint Vincent Chapel allowed to conclude the chapel presented out-of-plane deformations in the South wall and a significant overload due to the rubble infill of the vault, and lead to an intervention that included the removal of the infill of the vault and the roof conservation.

The façade presented severe stone deterioration and iron corrosion. The intervention involved several remedial works for the stone conservation, such as removal of biological activity, dry cleaning and low pressure water cleaning, application of water repellents, reconstitution of voids and crack closure.

The towers presented severe global damage, namely cracking, crushing and separation of the wall leaves, and local damage to the domes, spires and balustrades.







Institute for Sustainability and  
Innovation in Structural Engineering

#### DIRECTORS

**Paulo B. Lourenço**  
**Luís Simões da Silva**

#### ASSISTANT DIRECTORS

**José Sena-Cruz**  
**Carlos Rebelo**

#### HISTORICAL AND MASONRY STRUCTURES

**Paulo B. Lourenço**

#### STEEL AND MIXED CONSTRUCTION TECHNOLOGY

**Luís Simões da Silva**

#### STRUCTURAL COMPOSITES

**Joaquim Barros**

#### FUNCTIONAL PERFORMANCE

**Luís Godinho**

#### SCIENCE COMMUNICATION

**Miguel Azenha**  
**Trayana Tankova**

#### CAREER DEVELOPMENT

**Sofia Knapic** (After September 2021)  
**Tiago M. Ferreira** (Until August 2021)

#### ADVISORY COMMITTEE

**Bill F. Spencer**, University of Illinois, Urbana-Champaign – USA  
**David A Nethercot**, Imperial College London – UK  
**Francesco Asdrubali**, Università degli Studi Roma Tre – Italy  
**Henrik Stang**, Technical University of Denmark – Denmark

## Contact Us

Need more information? Send us an e-mail:  
[info@isise.net](mailto:info@isise.net)



[www.isise.net](http://www.isise.net)



[/isise.net](https://www.facebook.com/isise.net)



[/isisechannel](https://www.youtube.com/channel/isisechannel)



## University of Coimbra

Departamento de Engenharia Civil  
Faculdade de Ciências e Tecnologia

Rua Luís Reis Santos – Pólo II  
3030-788 Coimbra, Portugal

+351 239 797 260  
[isise@dec.uc.pt](mailto:isise@dec.uc.pt)  
[www.fct.uc.pt](http://www.fct.uc.pt)



Universidade do Minho  
Escola de Engenharia

## University of Minho

Departamento de Engenharia Civil

Campus de Azurém  
4800-058 Guimarães, Portugal

+351 253 510 200  
[isise@civil.uminho.pt](mailto:isise@civil.uminho.pt)  
[www.civil.uminho.pt](http://www.civil.uminho.pt)

